

Best Available Copy

Freeform Search

| | |
|------------------|---------------------------------------------|
| Database: | US Pre-Grant Publication Full-Text Database |
| | US Patents Full-Text Database |
| | US OCR Full-Text Database |
| | EPO Abstracts Database |
| | JPO Abstracts Database |
| | Derwent World Patents Index |
| | IBM Technical Disclosure Bulletins |

| | |
|--------------|------------------------------------------------------|
| Term: | (terminat\$3 or abort\$3) near thread with exception |
|--------------|------------------------------------------------------|

| | | | |
|-----------------|--------------------------------------------------------------|-------------------------------------------------------|--------------------------------|
| Display: | <input type="text" value="10"/> Documents in Display Format: | <input type="text" value="CIT"/> Starting with Number | <input type="text" value="1"/> |
|-----------------|--------------------------------------------------------------|-------------------------------------------------------|--------------------------------|

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Thursday, July 22, 2004 [Printable Copy](#) [Create Case](#)

| <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> result set |
|----------------------------------------------------------|-------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | | | |
| <u>L54</u> | (terminat\$3 or abort\$3) near thread with exception | 28 | <u>L54</u> |
| <u>L53</u> | mishaving near thread | 0 | <u>L53</u> |
| <u>L52</u> | (by\$1 near (reference or value)) with remote | 0 | <u>L52</u> |
| <u>L51</u> | (abort\$3 or terminat\$3 or kill\$3) with ((without near (method or thread))) | 55 | <u>L51</u> |
| <u>L50</u> | throw\$3 near exception and L44 | 0 | <u>L50</u> |
| <u>L49</u> | l37 and L44 | 2 | <u>L49</u> |
| <u>L48</u> | l35 and L44 | 0 | <u>L48</u> |
| <u>L47</u> | l37 and L45 | 0 | <u>L47</u> |
| <u>L46</u> | (l1 or l2) and L45 | 0 | <u>L46</u> |
| <u>L45</u> | 6289368.pn. | 2 | <u>L45</u> |
| <u>L44</u> | (by\$1 adj (reference or value)) | 130 | <u>L44</u> |
| <u>L43</u> | l38 and L42 | 4 | <u>L43</u> |
| <u>L42</u> | (by\$2 adj (reference or value)) | 2813 | <u>L42</u> |
| <u>L41</u> | remote near (method or object or invocation) and l38 | 5 | <u>L41</u> |
| <u>L40</u> | l8 and L38 | 1 | <u>L40</u> |

| | | | |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|---------|------------|
| <u>L39</u> | (l1 or l2) and L38 | 1 | <u>L39</u> |
| <u>L38</u> | l35 and L37 | 158 | <u>L38</u> |
| <u>L37</u> | exceed\$3 near (maximum or threshold or limit) or (consum\$6 near resources) | 104811 | <u>L37</u> |
| <u>L36</u> | exceed\$3 near (maximum or threshold or limit) or (consum\$6 near\$1 resources) | 2568000 | <u>L36</u> |
| <u>L35</u> | ((abort\$3 or kill\$3 or terminat\$3) near (thread or task)) | 2309 | <u>L35</u> |
| <u>L34</u> | memory near allocat\$3 with applet | 11 | <u>L34</u> |
| <u>L33</u> | resource adj usage with applet | 1 | <u>L33</u> |
| <u>L32</u> | l8 and L30 | 2 | <u>L32</u> |
| <u>L31</u> | l5 and L30 | 1 | <u>L31</u> |
| <u>L30</u> | ((instant\$5 or creat\$3) with (wrap\$5 near object)) | 67 | <u>L30</u> |
| <u>L29</u> | (terminat\$3 or abort\$3 or kill\$3) with (remote near (object or method)) | 42 | <u>L29</u> |
| <u>L28</u> | throw\$3 near exception with (remote near (object or method)) | 8 | <u>L28</u> |
| <u>L27</u> | throw\$3 near exception with (thread with terminat\$3) | 7 | <u>L27</u> |
| <u>L26</u> | (misbehav\$3 near (code or program or thread)) | 11 | <u>L26</u> |
| <u>L25</u> | ((abort\$3 or kill\$3 or terminat\$3) and (misbehav\$3 near (code or program or thread))) | 7 | <u>L25</u> |
| <u>L24</u> | ((abort\$3 or kill\$3 or terminat\$3) with (misbehav\$3 near (code or program or thread))) | 4 | <u>L24</u> |
| <u>L23</u> | ((abort\$3 or kill\$3 or terminat\$3) with thread) and ((wrap\$3 or cop\$4) near (argument or parameter)) | 21 | <u>L23</u> |
| <u>L22</u> | result with (wrap\$3 or cop\$4) near (argument or parameter) | 31 | <u>L22</u> |
| <i>DB=USPT; PLUR=YES; OP=OR</i> | | | |
| <u>L21</u> | 6192514.pn. | 1 | <u>L21</u> |
| <u>L20</u> | 5706516.pn. | 1 | <u>L20</u> |
| <u>L19</u> | 5668999.pn. | 1 | <u>L19</u> |
| <u>L18</u> | 5630066.pn. | 1 | <u>L18</u> |
| <u>L17</u> | 5603031.pn. | 1 | <u>L17</u> |
| <u>L16</u> | 5603031.pn. | 1 | <u>L16</u> |
| <u>L15</u> | 5421015.pn. | 1 | <u>L15</u> |
| <u>L14</u> | 5368685.pn. | 1 | <u>L14</u> |
| <i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | | | |
| <u>L13</u> | remote adj object with (wrap\$3 or cop\$4) | 30 | <u>L13</u> |
| <u>L12</u> | l8 and L5 | 4 | <u>L12</u> |
| <u>L11</u> | l8 and L10 | 17 | <u>L11</u> |
| <u>L10</u> | resource near us\$4 | 11669 | <u>L10</u> |
| <u>L9</u> | l2 and L8 | 0 | <u>L9</u> |
| <u>L8</u> | (remote near method) with (wrap\$5 or copy\$3 or reference) | 159 | <u>L8</u> |
| <u>L7</u> | generat\$3 near stub with (argument or parameter) | 12 | <u>L7</u> |
| <u>L6</u> | l1 and L5 | 0 | <u>L6</u> |
| <u>L5</u> | (malicious\$3 or untrusted or hack\$3) | 28667 | <u>L5</u> |

| | | | |
|-----------|--------------------------------------------------------------------------------------------|-----|-----------|
| <u>L4</u> | l1 and L2 | 0 | <u>L4</u> |
| <u>L3</u> | l2 and L2 | 325 | <u>L3</u> |
| <u>L2</u> | (malicious\$3 or untrusted or hack\$3) near (program or applet or code) | 325 | <u>L2</u> |
| <u>L1</u> | (cop\$4 near (argument or parameter) or (by near (reference or val\$3)) and remote).ab,ti. | 167 | <u>L1</u> |

END OF SEARCH HISTORY